


"Gelecek" Bizimle Nefes Alıyor




Ventilating, Heating, Cooling and Air Conditioning Systems Industry and Trade Ltd. Co.



CG
EĞRİSEL KANATLI MENFEZ







Malzeme	Özel olarak haddelenmiş 6063 alüminyum profil.
Fonksiyon	Havalandırma sistemlerinde emiş ve üfleme menfezi olarak kullanılır.
Yüzey Kaplama	Standart kaplama, naturel alüminyum eloksalıdır. İsteğe bağlı olarak elektrostatik toz boya yapılabilir. Standart renkler RAL 9010 ve 9016'dır.
Montaj	Standart olarak vidalıdır. Mandallı ve yaylı sistem, çerçevede delik istenmediği durumlarda kullanılmaktadır.
Aksesuarlar	Menfez damperi. plenum kutusu ve körkasa, filtre, tel, menteşe

Material	Specially extruded 6063 aluminium profile.
Function	It can be used both for supply and extract application in ventilation systems.
Finishing	Standard finishing is natural anodized. Electrostatic powder coating is optional. Standard colours are RAL 9010 and RAL 9016. Other colours are available with enamel paint.
Installation	Screw system is standard. Concealed screw system and plate spring system are available for mounting without hole on frame
Accessories	Grille damper, plenum box subframe, filter wire mesh, hinged

Çerçeve Tipleri / Frame Types



Dar Çerçeve
Narrow frame




Standart Çerçeve
Standard frame

Standart Ölçüler / Standard Sizes

W 100 - 150 - 200 - 250 - 300 - 350 - 400 - 450 - 500 - 600 - 700 - 800 - 900 - 1000 - 1100 - 1200

H 100 - 150 - 200 - 250 - 300 - 350 - 400 - 450 - 500 - 600 - 700 - 800 - 900

Bu ölçülerin herhangi bir kombinasyonu / Any combination of these sizes




Kodlandırma Örneği
Coding Example

1 Yönlü Menfez
CG 1 Way Grille


4 Yönlü Menfez
CG-4 4 Way Grille

1 Yönlü için Efektif Alan (m²) / 1 Way Effective Area (m²)

		H (mm)												
		100	150	200	250	300	350	400	450	500	600	700	800	900
W (mm)	100	0,005	0,009	0,012	0,015	0,019	0,022	0,026	0,029	0,032	0,039	0,046	0,053	0,060
	150	0,008	0,013	0,018	0,023	0,028	0,038	0,043	0,043	0,048	0,059	0,069	0,079	0,089
	200	0,010	0,017	0,024	0,031	0,037	0,051	0,051	0,058	0,065	0,078	0,092	0,105	0,119
	250	0,013	0,021	0,030	0,038	0,047	0,064	0,064	0,072	0,081	0,098	0,115	0,132	0,149
	300	0,015	0,026	0,036	0,046	0,056	0,077	0,077	0,087	0,097	0,117	0,138	0,158	0,179
	350	0,018	0,030	0,042	0,054	0,065	0,089	0,089	0,101	0,113	0,137	0,161	0,184	0,208
	400	0,020	0,034	0,048	0,061	0,075	0,102	0,102	0,116	0,129	0,156	0,184	0,211	0,238
	450	0,023	0,038	0,054	0,069	0,084	0,115	0,115	0,130	0,145	0,176	0,207	0,237	0,268
	500	0,026	0,043	0,060	0,077	0,094	0,128	0,128	0,145	0,162	0,196	0,230	0,264	0,298
	600	0,031	0,051	0,071	0,092	0,112	0,153	0,153	0,173	0,194	0,235	0,275	0,316	0,357
	700	0,036	0,060	0,083	0,107	0,131	0,179	0,179	0,202	0,226	0,274	0,321	0,369	0,417
	800	0,041	0,068	0,095	0,122	0,150	0,204	0,204	0,231	0,258	0,313	0,367	0,422	0,476
900	0,046	0,077	0,107	0,138	0,168	0,230	0,230	0,260	0,291	0,352	0,413	0,474	0,536	
1000	0,051	0,085	0,119	0,153	0,187	0,255	0,255	0,289	0,323	0,391	0,459	0,527	0,595	
1100	0,056	0,094	0,131	0,168	0,206	0,281	0,281	0,318	0,355	0,430	0,505	0,580	0,655	
1200	0,061	0,102	0,143	0,184	0,224	0,306	0,306	0,347	0,388	0,469	0,551	0,632	0,714	



Dampersiz - Without Damper



Zıt Kanatlı Damperli - With Opposed Blade Damper

FİTA TEKNİK

Havalandırma Isıtma, Soğutma ve Klima Sistemleri San. ve Tic. Ltd.Şti.

Ventilating, Heating, Cooling and Air Conditioning Systems Industry and Trade Ltd. Co.



Merkez / Head Office

Şenlikköy Mah.Florya Cad.No:63 B.Blok D:3
Florya Konakları, Bakırköy
İstanbul / TÜRKİYE
Tel.: +90 (212) 641 00 21 • Fax: +90 (212) 641 06 40

Fabrika / Factory

29 Ekim Mah.9231Sok. No:5
Yazıbaşı / Torbalı
İzmir / TÜRKİYE

info@fiteknik.com - www.fiteknik.com