


"Gelecek" Bizimle Nefes Alıyor



Ventilating, Heating, Cooling and Air Conditioning Systems Industry and Trade Ltd. Co.



FDJ
TAMBUR NOZUL DİFÜZÖR



Tanım Özel olarak haddelenmiş 6063 alüminyum profil.

İşlev Uzun mesafeli hava atışları için kullanılır. Silindirik gövde sayesinde hava akışı $\pm 30^\circ$ aşağı ve yukarı yönlendirilebildiği gibi silindirik gövde içine konan ayarlanabilir kanatlar vasıtası ile hava akışı sağa veya sola yönlendirebilmektedir.

Yüzey Kaplama Standart kaplama işlemi, RAL 9010 ve 9016 kodlu olan standart renklerle, elektrostatik toz boyama yöntemi ile yapılmaktadır. İsteğe bağlı olarak diğer renkler ve eloksal kaplamada yapılabilmektedir.

Montaj Standart olarak vidalıdır.

Description It is made of specially extruded 6063 aluminium profile.

Function It is generally used for long distance throwings. It's body can direct the air flow $\pm 30^\circ$ up and down. The air flow can be direct rightward and leftward with additional blades.

Finishing Standard finishing is produced by electrostatic powder coating. Standard colours are RAL 9010/RAL9016. Other colours are available with enamel paint.


Installation Systems with screws is standard.

STANDART ÖLÇÜLER / STANDARD SIZES



ATİŞ MESAFESİ SERİ NO THROWING DISTANCE	A (mm)	B (mm)	W (mm)	H (mm)	C (mm)	D (mm)	E (mm)
1109	300	217	254	172	36	87	42
1112	376	217	330	172	36	87	42
1118	529	217	483	172	36	87	42
1124	681	217	635	172	36	87	42
1220	579	319	533	275	63	138	42
1225	706	319	660	275	63	138	42
1230	833	319	787	275	63	138	42
1235	960	319	914	275	63	138	42

* H ve W ölçüleri kanal ölçüleridir.


* H and W dimensions are duct dimensions.




MONTAJ ŞEMASI / MONTAGE



ATIŞ MESAFESİ SEÇİM TABLOSU / THROW DISTANCE SELECTION TABLE




Diyagram 1



Diyagram 2


YATAY YÖNLENDİRME KANADI AÇISI VE MESAFESİ DÜZELTME FAKTÖRÜ DİYAGRAMI

THE DIAGRAM OF THE HORIZONTAL ORIENTATION OF THE BLADE
ANGLE AND BLADE DISTANCE CORRECTION FACTOR



Diyagram 3

Hava Atış Uzunluğu ve Yatay Ayar Açısı / The length of the air flow and horizontal setting angle



Diyagram 4

FİTA TEKNİK

Havalandırma Isıtma, Soğutma ve Klima Sistemleri San. ve Tic. Ltd.Şti.

Ventilating, Heating, Cooling and Air Conditioning Systems Industry and Trade Ltd. Co.



Merkez / Head Office

Şenlikköy Mah.Florya Cad.No:63 B.Blok D:3
Florya Konakları. Bakırköy
İstanbul / TÜRKİYE
Tel.: +90 (212) 641 00 21 • Fax: +90 (212) 641 06 40

Fabrika / Factory

29 Ekim Mah.9231Sok. No:5
Yazıbaşı / Torbalı
İzmir / TÜRKİYE

info@fiteknik.com - www.fiteknik.com